

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO	
09/416,961	10/13/1999	SHIGEKAZU INOHARA	520.37728X00	6821	
20457 75	590 05/27/2004		EXAMINER		
ANTONELLI, TERRY, STOUT & KRAUS, LLP 1300 NORTH SEVENTEENTH STREET SUITE 1800 ARLINGTON, VA 22209-9889			LEROUX, ETIENNE PIERRE		
			ART UNIT	PAPER NUMBER	
			2171	Ø,	
			DATE MAILED: 05/27/2004	(	

Please find below and/or attached an Office communication concerning this application or proceeding.

•		Application No.		Applicant(s)	/h~			
Office Action Summary		09/416,961		INOHARA ET AL.				
		Examiner		Art Unit				
		Etienne P LeRou		2171				
Period fo	The MAILING DATE of this communication app or Reply	ears on the cove	r sheet with the co	orrespondence ad	ldress			
THE I - Externanter - If the - If NO - Failu - Any r	ORTENED STATUTORY PERIOD FOR REPLY MAILING DATE OF THIS COMMUNICATION. Insions of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. In period for reply specified above is less than thirty (30) days, a reply is period for reply is specified above, the maximum statutory period we re to reply within the set or extended period for reply will, by statute, reply received by the Office later than three months after the mailing and patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, howe within the statutory mire will apply and will expire cause the application to	ever, may a reply be time nimum of thirty (30) days SIX (6) MONTHS from to become ABANDONED	ely filed will be considered timel the mailing date of this co (35 U.S.C. § 133).	_			
1)🖂	Responsive to communication(s) filed on 29 A	April 2004 .						
2a)⊠	<u> </u>	is action is non-fi	nal.					
3)								
Dispositi	on of Claims	•	·					
<b>4</b> )⊠	Claim(s) 1-35 is/are pending in the application	<b>).</b>						
	4a) Of the above claim(s) is/are withdrawn from consideration.							
5)	Claim(s) is/are allowed.							
6)🖂	6)⊠ Claim(s) <u>1-35</u> is/are rejected.							
7)	Claim(s) is/are objected to.							
•	Claim(s) are subject to restriction and/or on Papers	r election require	ment.					
9)[	The specification is objected to by the Examine	r.						
10)⊠ The drawing(s) filed on <u>13 October 1999</u> is/are: a)⊠ accepted or b)□ objected to by the Examiner.								
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).								
11)☐ The proposed drawing correction filed on is: a)☐ approved b)☐ disapproved by the Examiner.								
If approved, corrected drawings are required in reply to this Office action.								
12)☐ The oath or declaration is objected to by the Examiner.								
Priority ι	ınder 35 U.S.C. §§ 119 and 120							
13)⊠ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).								
a)⊠ All b)□ Some * c)□ None of:								
	1. Certified copies of the priority documents have been received.							
	2. Certified copies of the priority documents have been received in Application No							
* 5	3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.							
_	Acknowledgment is made of a claim for domestic				l application)			
a	)  The translation of the foreign language pro Acknowledgment is made of a claim for domesti	visional applicati	on has been rec	eived.	. арриосиот,			
Attachmen		io priority unuer c	,. J.J.J. 33 120	4114/01 121.				
1) Notice	ee of References Cited (PTO-892) ee of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO-1449) Paper No(s)	4) 5) 6)	•	(PTO-413) Paper No Patent Application (PT	· · —			

Art Unit: 2171

### Claim Objection

1. Claims 15-17 are objected to under 37 CFR 1.75(c) as being in improper form because a multiple dependent claim should refer to other claims in the alternative only. See MPEP § 608.01(n). Accordingly, claims 15-17 have not been further treated on the merits.

# Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 2. Claims 1-9 and 18-35 are rejected under 35 U.S.C. 102(e) as being anticipated by US Pat No 5,680,570 issued to Rantala et al (hereafter Rantala '570).

# Claims 1 and 3:

- executing at least one of a plurality of application programs on a first computer [Fig 1, item 18],
- wherein said secondary storage apparatus includes a storage medium that can save data after shutting down of power source [Fig 2, item 24]
- wherein said secondary storage stores therein a plurality of storage units which includes at least one application data used by said application program
- wherein said secondary storage apparatus provides said first computer with a block-based I/O function and an object-based I/O function [Fig 2, 20 and col 3, lines 52-62]

Art Unit: 2171

• receiving in said secondary storage apparatus, from the first computer or a second computer different from the first computer and object access module that implements the object-based I/O function by using the block-based I/O function [Fig 1, item 18 and col 3, lines 42-45]; and

• receiving, said secondary apparatus from the first computer, an object-based I/O request for said application data and performing said object-based I/O request by executing said object access module col 3, lines 40-45 and col 4, lines 12-27]

### Claims 2, 4 and 6:

Examiner maintains said object access module obtains the data value or location of data in the block corresponding to a specification is inherent in the teaching of Rantala '570. A specification is used to determine the basic design of data structures [Fig 2, 30]

Claim 5:

- executing one or more application programs on said first computer [Fig 1, item 18],
- providing said secondary storage apparatus with storage medium (secondary storage) [Fig 2, item 24] that can save data after shutting down of power source, said secondary storage including a plurality of storage units (blocks) for storing one or more of application data (object) used by said application programs, said secondary storage apparatus providing said first computer with block-based I/O function and object-based I/O function [Fig 2, 20 and col 3, lines 52-62]
- said object access module implementing object-based I/O function using block-based I/O function [col 3, lines 40-45]
- said object access module sent from said first computer or a second computer different from said first computer to said secondary storage apparatus to execute therein [[Fig 1, item 18 and col 3, lines 42-45]

Art Unit: 2171

#### Claim 7:

Rantala '570 discloses:

- executing one or more application programs on said first computer [Fig 1, item 18],
- providing said secondary storage apparatus with storage medium (secondary storage) [Fig 2, item 24] that can save data after shutting down of power source, said secondary storage including a plurality of storage units (blocks) for storing one or more of application data (object) used by said application programs, said secondary storage apparatus providing said first computer with block-based I/O function and object-based I/O function [Fig 2, 20 and col 3, lines 52-62]
- providing for said first computer block-based I/O function and object-based I/O function from said secondary storage [Fig 1, item 18 and col 3, lines 42-45]
- receiving from either the first computer or a second computer different from the first computer data indicating how said object is stored o said secondary storage (object description data) [col 3, lines 40-45]
- receiving a request of object-based I/O on said object from said first computer to perform I/O of said request by identifying the location of said object on said secondary storage by using said object description data [col 4, lines 28-48]

# Claim 8:

Rantala '570 discloses said object description data is data for specifying attribute or interblock reference based on the offset and size thereof [col 5, line 64 through col 6, line 1]

Claim 9:

Rantala '570 discloses wherein said object description data is data for specifying attribute or inter-block reference by a lexical analyzing program (parser) or a parser generating grammar [col 5, lines 49-63 and Fig 4]

Art Unit: 2171

#### Claim 18:

Rantala '570 discloses:

- executing one or more of application programs on said first computer [Fig 1, item 18];
- said secondary storage apparatus including storage medium (secondary storage) [Fig 2, item 24] that can save data after shutting down of power source, said secondary storage including a plurality of storage units (blocks);
- storing one or more of application data (object) used by said application programs on said secondary storage;
- said secondary storage being a secondary storage of a computer system for providing block-based I/0 function and 1/0 function for application programs to said first computer [Fig 2, item 20 and col 3, lines 52-62],
- said secondary storage maintaining object access modules for implementing object-based 1/0 function by using block-based I/0 function [col 3, lines 40-45],
- said secondary storage receiving a module for implementing said advanced 1/0 function by using said object access module (function module) from said first computer or a second computer different from said first computer [col 3, lines 40-45],
- then said secondary storage receiving a request for said advanced from said first computer to perform I/0 of said request by executing said function module [Fig 1, item 18 and col 3, lines 42-45].

#### <u>Claim 19:</u>

Rantala '570 discloses:

• said first computer executing one or more of application programs [Fig 1, item 18];

Art Unit: 2171

- said secondary storage apparatus including storage medium (secondary storage) [Fig 2, item
   24]that can save data after shutting down of power source, and
- said secondary storage including a plurality of storage units (blocks), said secondary storage storing in one or more of blocks one or more of application data (object) used by said application programs [Fig 2, item 20 and col 3, lines 52-62]
- said secondary storage apparatus operating as said first computer or said second computer different from said first computer running within a computer system for providing to said first computer a block-based I/0 function and an I/0 function for said application programs (advanced I/0) [Fig 1, item 18 and col 3, lines 42-45];
- said secondary storage apparatus storing a module that implements object-based I/0 function by using block-based I/0 function (object access module) [Fig 2 and col 3, lines 50-60];
- said computer registering to or deleting from said secondary storage a module that implements said advanced I/0 by using said object access module (function module) [col 4, lines 28-48].
   Claim 20:

- said first computer executing one or more of application programs [Fig 1, item 18]
- said secondary storage apparatus including storage medium (secondary storage) [Fig 2, item 24] that can save data after shutting down of power source, and said secondary storage including a plurality of storage units (blocks), said secondary storage storing in one or more of blocks one or more of application data (object) used by said application programs [Fig 2, item 20 and col 3, lines 52-62];

Art Unit: 2171

- said secondary storage apparatus providing said first computer with a block-based I/0 function and an I/0 function for said application programs (advanced I/0) [Fig 1, item 18 and col 3, lines 42-45];
- said program module being sent from said first computer or a second computer different from said first computer to said secondary storage apparatus to be executed on said secondary storage apparatus [Fig 1, item 18 and col 3, lines 42-45];
- said program module providing said advanced I/0 by using a module (object access module) that implements object-based I/0 function by using block-based I/0 function [col 4, lines 28-48].

  Claim 21:

- said first computer executing one or more of application programs [Fig 1, item 18]
- said secondary storage apparatus including storage medium (secondary storage) [Fig 2, item 24] that can save data after shutting down of power source, and
- said secondary storage including a plurality of storage units (blocks), said secondary storage storing in one or more of blocks one or more of application data (object) used by said application programs [Fig 2, item 20 and col 3, lines 52-62];
- said secondary storage apparatus providing to said first computer a block-based I/0 function and an I/0 function for said application programs (advanced I/0) [Fig 1, 18 and col 3, lines 42-45];
- said secondary storage apparatus maintaining a module that implements object-based I/0 function by using block-based I/0 function (object access module), as well as a module that implements said advanced 1/0 by using said object access module (function module) [Fig 2, and col 3, lines 50-60];

Art Unit: 2171

said protection module determining a method invocation to be allowed or denied when said
function module attempts to invoke a method in the object access module [col 4, lines 12-27].
 Claim 22:

Rantala '570 discloses wherein said protection module is registered to or deleted from said secondary storage apparatus by said first computer or a second computer different from said first computer running within said computer system [col 4,lines 41-49]

Claim 23:

- said first computer executing one or more of application programs [Fig 1, item 18];
- said secondary storage apparatus including storage medium (secondary storage) [Fig 2, item 24] that can save data after shutting down of power source, and
- said secondary storage including a plurality of storage units (blocks), said secondary storage storing in one or more of blocks one or more of application data (object) used by said application programs [Fig 2, item 20 and col 3, lines 52-62];
- said secondary storage apparatus providing said first computer with a block-based 1/0 function and an 1/0 function for said application programs (advanced 1/0) [Fig 1, item 18 and col 3, lines 42-45];
- said secondary storage apparatus maintaining an object access module that implements object-based 1/0 function by using block-based 1/0 function, as well as a module that implements said advanced 1/0 by using said object access module (function module) [[Fig 2, and col 3, lines 50-60];
- said module (protection module) for determining whether a method invocation is allowed or denied when said function module attempts to invoke a method in the object access module

Art Unit: 2171

being received from said first computer or a second computer different from said first computer [col 4, lines 12-27].

### Claim 24:

Rantala '570 discloses:

- said first computer executing one or more of application programs [Fig 1, 18];
- said secondary storage apparatus including storage medium (secondary storage) [Fig 2, item 24] that can save data after shutting down of power source, and
- said secondary storage including a plurality of storage units (blocks), said secondary storage storing in one or more of blocks one or more of application data (object) used by said application programs [Fig 2, item 20 and col 3, lines 52-62];
- said secondary storage apparatus operating as said first computer or said second computer different from said first computer running within a computer system for providing to said first computer a block-based I/0 function and an 1/0 function for said application programs (advanced I/0) [Fig 1, item 18 and col 3, lines 42-45];
- said secondary storage apparatus storing an object access module that implements object-based 1/0 function by using block-based I/0 function, as well as a module that implements said advanced I/0 by using said object access module (function module) [Fig 2, and col 3, lines 50-60];
- said computer registering to or deleting from said secondary storage apparatus said protection module for determining a method invocation to be allowed or denied when said function module attempts to invoke a method in the object access module [col 4, lines 28-48].

### Claim 25:

Page 10

- Application/Control Number: 09/416,961

Art Unit: 2171

• said first computer executing one or more of application programs [Fig 1, item 18];

- said secondary storage apparatus including storage medium (secondary storage) [Fig 2, item 24] that can save data after shutting down of power source, and
- said secondary storage including a plurality of storage units (blocks), said secondary storage storing in one or more of blocks one or more of application data (object) used by said application programs [Fig 2, item 20 and col 3, lines 52-62]
- said secondary storage apparatus providing said first computer with a block-based I/0 function and an I/0 function for said application programs (advanced I/0) [Fig 1. item 18 and col 3, lines 42-45];
- said secondary storage apparatus storing an object access module that implements object-based I/0 function by using block-based I/0 function; when said object access module provides external devices [Fig 2, and col 3, lines 50-60]
- a plurality of objects having containment, said locking module providing external devices with mutual exclusion function with the containment of said a plurality of objects being taken into consideration [col 4, lines 20-28].

# Claim 26:

Rantala '570 discloses said locking module is registered to or deleted from said secondary storage apparatus by said first computer [Fig 1, 18] or a second computer different from said first computer [Fig 1, 12a, 12b, 12c, 12d].

#### <u>Claim 27:</u>

Rantala '570 discloses:

• executing on said first computer one or more of application programs [Fig 1, item 18];

Page 11

-- Application/Control Number: 09/416,961

Art Unit: 2171

said secondary storage apparatus including storage medium (secondary storage) [Fig 2, item 24]
 that can save data after shutting down of power source, and

- said secondary storage including a plurality of storage units (blocks), said secondary storage storing in one or more of blocks one or more of application data (object) used by said application programs [Fig 2, item 20 and col 3, lines 52-62];
- providing from said secondary storage apparatus to said first computer with a block-based I/0 function and an 1/0 function for said application programs (advanced I/0) [Fig 1, item 18 and col 3, lines 42-45];
- maintaining on said secondary storage apparatus an object access module that implements object-based I/O function by using block-based I/O function [Fig 2 and col 3, lines 50-60];
- receiving locking module from said first computer or a second computer different from said first
  computer; when said object access module provides external devices a plurality of objects having
  containment, said locking module for providing external devices with mutual exclusion function
  with the containment of said a plurality of objects being taken into consideration [col 4, lines 2028].

# Claim 28:

- said first computer executing one or more of application programs [Fig 1, item 18]
- said secondary storage apparatus including storage medium (secondary storage) [Fig 2, item 24] that can save data after shutting down of power source and
- said secondary storage including a plurality of storage units (blocks), said secondary storage storing in one or more of blocks one or more of application data (object) used by said application programs [Fig 2, item 20 and col 3, lines 52-62];

Art Unit: 2171

- said secondary storage apparatus operating as said first computer or said second computer different from said first computer running within a computer system for providing to said first computer a block-based 1,/0 function and an I/0 function for said application programs (advanced 1/0) [Fig 1, item 18 and col 3, lines 42-45];
- said secondary storage apparatus storing an object access module that implements object-based 1/0 function by using block-based I/0 function [Fig 2 and col 3, lines 50-60];
- when said object access module provides external devices a plurality of objects having
  containment, said computer registering to or deleting from said secondary storage apparatus said
  locking module for providing external devices with mutual exclusion function with the
  containment of said plural objects being taken into consideration [col 4, lines 20-28]
   Claim 29:

- said second computer storing the list of said secondary storage apparatus [col 3, lines 35-45];
- said secondary storage apparatus including storage medium (secondary storage) [Fig 2, item 24] that can save data after shutting down of power source, and
- said secondary storage including a plurality of storage units (blocks); said secondary storage apparatus provides said first computer with block-based 1/0 function and 1/0 function for said application programs (advanced I/0) or object-based I/0 function [Fig 2, item 20 and col 3, lines 52-62]; said
- first computer sending to said second computer a protection module (module) that implements said advanced I/0; said second computer receiving said module to send it to part or all of said secondary storage apparatus listed on the list [col 4, lines 20-28];

Page 13

- Application/Control Number: 09/416,961

Art Unit: 2171

• said secondary storage apparatus receiving said module; said first computer transmitting to said secondary storage apparatus a request of said advanced I/0 [col 4, lines 20-28];

• said secondary storage apparatus invoking said module to perform said advanced I/0 [col 4, lines 20-28].

### Claim 30:

Examiner maintains that said management computer provides a compiler for compiling said protection module for said secondary storage apparatus to compile said module received from said first computer using said compiler in order to send a compiled module to part or all of said secondary storage apparatus is inherent in the teachings of Rantala '570.

#### Claim 31:

Examiner maintains that said management computer storing model data of said secondary storage apparatus, provides one or more compilers for compiling modules for each model of said secondary storage apparatus, to compile said module received from said first computer using said one or more compilers for the destination secondary storage apparatus, to send a compiled module to part or all of said secondary storage apparatus is inherent in the teachings of Rantala '570.

#### Claim 32:

- said first computer executing one or more of application programs [Fig 1, 12b]
- said second computer storing the list of said secondary storage apparatus [col 3, lines 35-45]
- said secondary storage apparatus including storage medium 25 (secondary storage) [Fig 2, item 24] that can save data after shutting down of power source, and

Art Unit: 2171

- said secondary storage including a plurality of storage units (blocks); said secondary storage apparatus provides said first computer with block-based 1/0 function and 1/0 function for said application programs (advanced 1/0) or object-based 1/0 function [Fig 2, item 20 and col 3, lines 52-62];
- said first computer sending to said second computer a protection module (module) that implements said advanced 1/0 [col 4, lines 20-28];
- said second computer receiving said module to send it to part or all of said secondary storage apparatus listed on the list [col 4, lines 20-28]
- said secondary storage apparatus receiving said module [col 4, lines 20-28];
- said first computer transmitting to said secondary storage apparatus a request of said advanced 1/0 [col 4, lines 11-19];

said secondary storage apparatus invoking said module to perform said advanced 1/0 [col 4, lines 11-19]

### Claim 33:

- executing on said first computer one or more of application programs [Fig 1, 12b];
- said secondary storage apparatus including storage medium(secondary storage) [Fig 2, item 24]that can save data after shutting down of power source, and
- said secondary storage including a plurality of storage units (blocks), said secondary storage storing in one or more of blocks one or more of application data (object) used by said application programs; [Fig 2, item 20 and col 3, lines 52-62]

Art Unit: 2171

- providing from said secondary storage apparatus to said first computer with a block-based I/0 function and an I/0 function for said application programs (advanced I/0) or object-based I/0 function [col 3, lines 52-62];
- receiving a protection module (object access module) that implements said object-based I/0 function or said advanced 1/O by using block-based I/0 function from said first computer or a second computer different from said first computer [col 4, lines 20-28];
- providing said secondary storage apparatus with a compiler for compiling said module into an executable for faster execution [inherent in the teachings of Rantala '570]
- compiling said module using said compiler on said secondary storage apparatus [inherent in the teachings of Rantala '570],
- receiving a request of object-based 1/0 or advanced I/0 on said object from said first computer; and performing I/0 of said request by executing said compiled module [col 4, lines 12-19].

  Claim 34:

- executing on said first computer one or more of application programs [Fig 1, 12b];
- said secondary storage apparatus including storage medium (secondary storage) [Fig 2, item 24] that can save data after shutting down of power source, and
- said secondary storage including a plurality of storage units (blocks), said secondary storage storing in one or more of blocks one or more of application data (object) used by said application programs [Fig 2, item 20 and col 3, lines 52-62];
- providing from said secondary storage apparatus to said first computer with a block-based I/0 function and an I/0 function for said application programs (advanced I/0) [Fig 2 and col 3, lines 47-62];

Art Unit: 2171

- for said advanced I/0 function, providing a feature of replying, in response to a request from said first computer [Fig 2 and col 3, lines 47-62],
- a correspondence between a plurality of part of one object and secondary storage apparatus for storing said part of object [col 3, lines 53-63].

Claim 35:

- said first computer executing one or more of application programs [Fig 1, 12a];
- said secondary storage apparatus including storage medium (secondary storage) [Fig 2, item 24] that can save data after shutting down of power source, and
- said secondary storage including a plurality of storage units (blocks), said secondary storage storing in one or more of blocks one or more of application data (object) used by said application programs [Fig 2, item 20 and col 3, lines 52-62]
- means for providing said first computer block-based I/O function and object-based I/O function [col 3, lines 40-45];
- means for receiving a program module (object access module) that implements object-based I/O function by using block-based I/O function from said first computer or a second computer different from said first computer [col 3, lines 40-45];
- means for receiving said object access module and for receiving a request of object-based I/O on said object access module from said first computer [Fig 2, and col 3, lines 50-60]; and
- means for executing said object access module [inherent in the teachings of Rantala '570].

Page 17

-. Application/Control Number: 09/416,961

Art Unit: 2171

# Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claims 10, 11, 13 and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Rantala '570 in view of US Pat 5,640,556 issued to Tamura (hereafter Tamura '556).

  Claim 10:

Rantala '570 discloses the elements of claim 7 as noted above.

Rantala '570 fails to disclose wherein said object description data is data for specifying the file format of said object based on whether the data stored in a specific part of one or more blocks contains some specific value or pattern

Tamura '556 discloses wherein said object description data is data for specifying the file format of said object based on whether the data stored in a specific part of one or more blocks contains some specific value or pattern [col 6, lines 5-18 and Fig 9].

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Rantala '570 to include wherein said object description data is data for specifying the file format of said object based on whether the data stored in a specific part of one or more blocks contains some specific value or pattern as taught by Tamura '556.

The ordinarily skilled artisan would have been motivated to modify Rantala '570 per that above for the purpose of transferring data between two or client computers [col 6, lines 6-11].

Claim 11:

Rantala '570 discloses:

• executing one or more application programs on said first computer [Fig 1, item 18],

Art Unit: 2171

• providing said secondary storage apparatus with storage medium (secondary storage) [Fig 2, item 24] that can save data after shutting down of power source, said secondary storage including a plurality of storage units (blocks) for storing one or more of application data (object) used by said application programs, said secondary storage apparatus providing said first computer with block-based I/O function and object-based I/O function [Fig 2, 20 and col 3, lines 52-62]

• said secondary storage providing block-based I/O function and object-based I/O function [col 3, lines 40-45]

Rantala '570 fails to disclose said computer registering to or deleting from said secondary storage apparatus data indicating how said object is stored on said secondary storage (object description data).

Tamura '556 discloses said computer registering to or deleting from said secondary storage apparatus data indicating how said object is stored on said secondary storage (object description data) [col 6, lines 5-18 and Fig 9]

It would have been obvious to one of ordinary skill I the art at the time the invention was made to modify Rantala '570 to include said computer registering to or deleting from said secondary storage apparatus data indicating how said object is stored on said secondary storage (object description data) as taught by Tamura '556.

The ordinarily skilled artisan would have been motivated to modify Rantala '570 per the above for the purpose of transferring data between two or more client computers [col 6, lines 6-11].

#### Claim 13:

Rantala '570 discloses said object description data is data for specifying attribute or interblock reference based on the offset and size thereof [col 5, line 64 through col 6, line 1]

Art Unit: 2171

# <u>Claim 14:</u>

Tamura '556 discloses wherein said object description data is data for specifying the file format of said object based on whether the data stored in a specific part of one or more blocks contains some specific value or pattern [col 6, lines 5-18 and Fig 9].

5. Claim 12 is rejected under 35 U.S.C. 103(a) as being unpatentable over the combination of Rantala '570 and Tamura '556 and further in view of US Pat No 5,386,578 issued to Lin (hereafter Lin '578).

# Claim 12:

The combination of Rantala '570 and Tamura '556 discloses the elements of claim 11 as noted above.

The combination of Rantala '570 and Tamura '556 fails to disclose said object description data is data for specifying the data sequence or inter-block reference of data in a block based on the offset and size thereof.

Lin '578 discloses said object description data is data for specifying the data sequence or inter-block reference of data in a block based on the offset and size thereof [col 1, lines 10-25].

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the combination of Rantala '570 and Tamura '556 to include said object description data is data for specifying the data sequence or inter-block reference of data in a block based on the offset and size thereof as taught by Lin '578.

The ordinarily skilled artisan would have been motivated to modify the combination of Rantala '570 and Tamura '556 per the above for the purpose of transferring data from an external file to an internal data file structure.

Art Unit: 2171

### Response to Arguments

Applicant's arguments filed 4/28/2004 have been fully considered but they are not persuasive.

# First Applicant Argument:

Applicant states on page 30 "Rantala discloses a memory system having a dynamically allocatable nonvolatile storage capability. In Rantala, the volatile storage uses DRAM storage, while the non-volatile storage uses SRAM storage. According to Rantala, in the combination of the DRAM storage and the SRAM storage, the DRAM stores all of the data blocks, while the SRAM stores only the data required to be safely stored, said data being a subset of the data stored in the DRAM. Rantala teaches that a mapping logic is used for managing use of the SRAM. Attention is directed to the Abstract of Rantala. Thus, Rantala merely discloses a memory system per se.

# Examiner's Response:

Examiner is not persuaded. In response to applicant's argument that the references fail to show certain features of applicant's invention, it is noted that the features upon which applicant relies (i.e., a memory system per se) are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).

# **Second Applicant Argument:**

Applicant states in the second paragraph on page 31 "In contrast, the features of the present invention as now more clearly recited in the claims are directed to a NAS secondary storage apparatus which implements an object-based I/O function using the block-based I/O function. Such features are clearly not taught or suggested by Rantala."

Art Unit: 2171

### Examiner's Response:

Examiner is not persuaded. In response to applicant's argument that the references fail to show certain features of applicant's invention, it is noted that the features upon which applicant relies (i.e., a NAS secondary storage apparatus which implements an object-based I/O function using the block-based I/O function) are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).

# Third Applicant Argument:

Applicant argues that Tamara and Lin do not correct the deficiencies of Rantala.

### **Examiner's Response:**

Examiner is not persuaded. Tamara Lin are recited in supra Office Action for specific features and not in an attempt to correct the deficiencies of Rantala.

### Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Art Unit: 2171

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Etienne LeRoux whose telephone number is (703) 305-0620. The examiner can normally be reached on Monday – Friday from 8:00 AM to 4:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Safet Metjahic, can be reached on (703) 308-1436.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 305-3900.

Etienne LeRoux

5/25/2004

SAFET METJAHIC
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100